Mobile Devices
Notebooks

Fujitsu's wide product range helps you to meet today's requirements. The products offer highest reliability, security and ease of use features. LIFEBOOK notebooks from Fujitsu are designed with you in mind, mobile, stylish and energy-efficient.

Superior

Ultimate Computing for Individual Needs

CELSIUS Mobile H910
CELSIUS Mobile H710
LIFEBOOK T901
LIFEBOOK S761
LIFEBOOK P771

Advanced

Mobile Office

STYLISTIC Q550
LIFEBOOK T730
LIFEBOOK T580
LIFEBOOK E781
LIFEBOOK E751
LIFEBOOK S781
LIFEBOOK S751
LIFEBOOK P701

All-round

Standard Home and Office Applications

LIFEBOOK NH751
LIFEBOOK AH531
LIFEBOOK A531
LIFEBOOK LH531

Value

Functionality

Superior Tablet PC / Convertible LIFEBOOK

	LIFEBOOK T901
	Your ultimate mobile meeting tool
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® QM67
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SSD SATA, 64 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/SDHC/SDXC/MS/MSPro); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with optional 3G/UMTS); 1 x Modem (RJ-11; exclusive with optional 3G/UMTS); 2 x USB 2.0 (1 with Anytime USB Charge functionality); 1 x USB 3.0 ; 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support
Display	33.8 cm (13.3-inch), TFT, (WXGA), 1280 x 800 pixel, 500:1, 300 cd/m² with Anti-glare touchscreen 33.8 cm (13.3-inch), TFT, (WXGA), 1280 x 800 pixel, 500:1, 300 cd/m² with Anti-glare Berliner Glass shield
Graphics brand name	Intel® HD Graphics
Webcam	Optional: Built-in webcam, 2.0 megapixel
Weight	From 2.0 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	319 x 244 x 36 mm (without foot)
Runtime battery (1st / +2nd)	Up to 9 h / up to 14 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	2 digital array microphones, 2 x built-in speakers (stereo)
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 x dual band for WLAN, 2 x for UMTS (bundeled to UMTS module), 1 x for Bluetooth (on Bluetooth module)
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth optional	Bluetooth 3.0
Modular bay options	Weight saver; 2nd battery; Blu-ray Disc™ Triple Writer; DVD Super Multi
Special features	Advanced Theft Protection (ATP), pen input, Multiple Touch, Bi-directional rotatable display, Ambient light sensor, fingerprint sensor, optional TPM
Standard Warranty Duration**	2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)

Advanced Tablet PCs / Convertibles STYLISTIC

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	STYLISTIC Q550
	Your professional companion
Operating system	Genuine Windows® 7 Professional 32-bit Genuine Windows® 7 Home Premium 32-bit
Chipset	New Intel® chipset generation" (launch March 30, 2011)
Processor Type, Second Level cache, Processor frequency	The upcoming Intel® Atom™ processor platform, currently codenamed "Oak Trail"
Memory	2 GB, Single channel (1 module) configuration
Hard disk drive	SSD SATA, 62 GB, Half-slim (FDE) SSD SATA, 30 GB, Half-slim (FDE)
Interfaces	1 x Memory card slot (SD/SDHC) 1 x SmartCard slot 1 x SIM card slot 1 x USB 2.0 1 x HDMI 1 x DC-in 1 x Docking connector for cradle
Display	25.7 cm (10.1-inch), IPS (In-plane switching), (WXGA), 1280 x 800 pixel, 500:1, 400 cd/m² with Anti-glare touchscreen
Graphics brand name	Intel® GMA 600
Webcam	Built-in cameras, 0.3 megapixel front webcam plus 1.3 megapixel rear camera
Weight	0.8 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	275 x 192 x 16.2 mm
Runtime battery	Up to 8 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Mono speaker, 2 internal microphones
Antennas	1 x dual band for WLAN, 2 x for UMTS/GPS (bundeled to UMTS module), 1 x for Bluetooth (on Bluetooth module)
Special features	Advanced Theft Protection (ATP), TPM, Integrated fingerprint sensor, optional mobile broadband access (UMTS/GPS), Multiple Touch
Standard Warranty Duration**	2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)

Advanced Tablet PCs / Convertibles LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK T730	LIFEBOOK T580
	Twist to touch	Small in size, great in style
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® QM57	Intel® HM55
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-640M processor, 4 MB, 2.80 GHz Intel® Core™ i5-560M processor, 3 MB, 2.66 GHz Intel® Core™ i5-480M processor, 3 MB, 2.66 GHz Intel® Core™ i5-460M processor, 3 MB, 2.53 GHz Intel® Core™ i5-450M processor, 3 MB, 2.40 GHz Intel® Core™ i3-380M processor, 3 MB, 2.53 GHz Intel® Core™ i3-370M processor, 3 MB, 2.40 GHz	Intel® Core™ i5-560UM (ULV), 3 MB, 800 MHz Intel® Core™ i3-380UM (ULV), 3 MB, 800 MHz
Memory	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 1066 MHz	Up to 8 GB, 2 SO DIMM slot(s), (DDR3), 800 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SSD SATA, 64 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SSD SATA, 128 GB, 2.5-inch SSD SATA, 64 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x (for SD/SDHC/SDXC/MS/MSPro) Memory card slot; 1 x (34 mm and 54 mm supported) ExpressCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 3 x USB 2.0 total; 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for port replicator; 1 x Kensington Lock support	1 x (SD-Card slot) Memory card slot; 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 2 x USB 2.0 total; 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Kensington Lock support
Display	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), anti-glare touchscreen, 1280 x 800 pixel, 300 cd/m²; 30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), anti-glare touchscreen, 1280 x 800 pixel, 200 cd/m²	25.7 cm (10.1-inch), TFT dual digitizer, (HD), LED backlight touchscreen, 1366 x 768 pixel, 200 cd/m²
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam optional	Built-in webcam, 2.0 megapixel	Built-in webcam, 1.3 megapixel
Weight	From 1.8 kg – Actual weight may vary depending on configuration	From 1.4 kg (with 3-cell battery) – Actual weight may vary depending on configuration
Dimensions (W x D x H)	297 x 233 x 38.4 mm (without foot)	270 x 189 x 39.7 mm (incl. foot)
Runtime battery (1st / +2nd)	Up to 7 h / up to 11 h	Up to 9:30 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones	Mono speaker
Embedded 3G/UMTS optional	Sierra Wireless Gobi 2000	Sierra Wireless Gobi 2000
Integrated WLAN optional	Intel® Centrino® 6200 802.11 a/b/g/n Atheros Minicard b/g/n	Intel® Centrino® 6200 802.11 a/b/g/n Atheros Minicard b/g/n
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna
LAN	Built-in 10/100/1000 Mbit/s Intel® 82577 LM	Gigabit Ethernet (10/100/1000 Mbit/s) Realtek RTL 8111E
Bluetooth optional	Bluetooth 2.1	Bluetooth 2.1
Modular bay options	DVD Super Multi, Blu-ray Disc™ Combo Drive, 2nd battery, 2nd hard disk drive	
Special features	Bi-directional rotatable display, GPS, multiple touch, Ambient Light Sensor, port replicator, Advanced Theft Protection (ATP)	4-finger multiple touch, GPS, Ambient Light Sensor, bi-directional rotatable display
Standard Warranty Duration**	2 years (depending on country)	2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

Superior Mobile Workstations CELSIUS

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	CELSIUS H910
	Workstation power on-the-go
Operating system*	Genuine Windows® 7 Professional 64-bit
Chipset	Intel® QM67
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2920XM processor, 8 MB, 2.50 GHz Intel® Core™ i7-2820QM processor, 8 MB, 2.30 GHz Intel® Core™ i7-2720QM processor, 6 MB, 2.20 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.70 GH Intel® Core™ i5-2540M processor, 3 MB, 2.60 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.50 GHz
Memory	Up to 16 GB, 2 DIMM (DDR3) slot(s) for DualCore processor, up to 32 GB, 4 DIMM (DDR3) slot(s) for QuadCore processor
Hard disk drive	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption 2 x HDD SATA, 7200 rpm, 1000 GB, 2.5-inch, S.M.A.R.T. 2 x HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. 2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SSD SATA, 512 GB, 2.5-inch, full disk encryption SSD SATA, 256 GB, 2.5-inch, full disk encryption SSD SATA, 128 GB, 2.5-inch, full disk encryption HDD SATA, 7200 rpm, 1000 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/MS/MSPro) 1 x ExpressCard slots 1 x SmartCard slot 1 x SIM card slot 1 x eSATA 3 x USB 2.0 total 1 x USB 3.0 total 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 1 x Digital array microphone (internal microphones) 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	43.9 cm (17.3-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel
Graphics brand name	NVIDIA® Quadro® 4000M or 3000M
Graphics features	DualView
Dedicated video memory	2 GB (GDDR3 VRAM)
Webcam	Optional: Built-in webcam, 2 megapixel, VGA camera
Weight	4.25 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	417 x 287 x 33/44 mm
Runtime battery	Up to 2 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas
LAN	10/100/1000 MBit/s Intel® 82577 LM
Bluetooth optional	Bluetooth 3.0
Special features	Intel® Core™ Quad Extreme Edition processor, NVIDIA® Quadro® workstation graphics, Embedded mobile broadband access (3G/UMTS), Integrated fingerprint sensor, Modular bay, ShockSensor, SmartCard reader, TPM
Standard Warranty Duration**	3 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)

Superior Mobile Workstations CELSIUS

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	CELSIUS H710
	Workstation power on-the-go
Operating system*	Genuine Windows® 7 Professional 64-bit
Chipset	Intel® QM67
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2820QM processor, 8 MB, 2.30 GHz Intel® Core™ i7-2720QM processor, 6 MB, 2.20 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.70 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.60 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.50 GHz
Memory	Up to 16 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 512 GB, 2.5-inch, full disk encryption SSD SATA, 256 GB, 2.5-inch, full disk encryption SSD SATA, 128 GB, 2.5-inch, full disk encryption HDD SATA, 7200 rpm, 1000 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/MS/MSPro) 1 x ExpressCard slots 1 x SmartCard slot 1 x PC-Card slot 1 x SIM card slot 1 x eSATA 3 x USB 2.0 total 1 x USB 3.0 total 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 2 x Digital array microphones (internal microphones) 1 x Docking connector for Port Replicator 2 x Kensington Lock support
Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m² 39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel
Graphics brand name	NVIDIA® Quadro® 1000M
Graphics features	DualView
Dedicated video memory	2 GB
Webcam	Optional: Built-in webcam, 2 megapixel, VGA camera
Weight	2.75 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	372 x 255 x 36 mm
Runtime battery	Up to 5 h / up to 8 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas
LAN	10/100/1000 MBit/s Intel® 82579 LM
Bluetooth optional	Bluetooth 2.1
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery 2nd hard disk drive
Special features	Intel® Core™ Quad processor, NVIDIA® Quadro® workstation graphics, Embedded mobile broadband access (3G/UMTS), Integrated fingerprint sensor, Modular bay, ShockSensor, SmartCard reader, TPM
Standard Warranty Duration**	3 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)

Superior Notebooks LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK S761	LIFEBOOK P771
	Boundless mobility on the road	The slim companion to go
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit
Chipset	Intel® QM67	Intel® QM67
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz	Intel® Core™ i7-2617UM processor (1.5 GHz), 4 MB, 800 MHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)	Up to 8 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11; optional); 2 x USB 2.0 (1 with Anytime USB Charge functionality); 1 x USB 3.0 ; 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support	1 x Memory card slots (SD); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SIM card slot (usable only with 3G/UMTS); 1 x USB 2.0 (with Anytime USB Charge functionality) ; 2 x USB 3.0 (with Anytime USB Charge functionality) ; 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m² 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m²	30.7 cm (12.1-inch), TFT, (WXGA), LED anti-glare display, 1280 x 800 pixel
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam	Optional: Built-in webcam, 1.3 megapixel	Optional: Built-in webcam, 2 megapixel
Weight	1.66 – 1.9 kg (depending on display) - Actual weight may vary depending on configuration	1.4 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	321 x 228 x 27.1-35.5 mm (depending on display)	282 x 215 x 29.9 mm
Runtime battery (1st / +2nd)	Up to 8:30 h (tbc) / up to 12 h (tbc)	Up to 9 h (tbc) / up to 12 h (tbc)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers, 1 x built-in microphone	Stereo speakers, 1 x built-in microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth antenna optional	2 Dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth antenna optional
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5	
Bluetooth optional	Bluetooth 3.0	Bluetooth 3.0
Modular bay options	DVD Super Multi Weight saver 2nd battery	DVD Super Multi Weight saver 2nd battery
Special features	Advanced Theft Protection (ATP), Embedded mobile broadband access (3G/UMTS), Magnesium lid (optional), Modular bay	Advanced Theft Protection (ATP), Energy efficient components, Integrated fingerprint sensor, SSD optional, modular bay
Standard Warranty Duration**	2 years (depending on country)	2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

Advanced Notebooks
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK E781	LIFEBOOK E751
	The mobile top performer	The mobile top performer
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit
Chipset	Intel® QM67	Intel® HM65
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/MS/MSPro); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11: optional); 3 x USB 2.0 ; 1 x USB 3.0 (optional; additional USB 2.0 if not selected); 1 x eSATA & USB combo; 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support	1 x Memory card slots (SD/MS/MSPro); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11: optional); 3 x USB 2.0; 1 x USB 3.0 (optional; additional USB 2.0 if not selected); 1 x eSATA & USB combo; 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m² 39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m²	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m² 39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m²
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam	Optional: Built-in webcam, 1.3 megapixel	Optional: Built-in webcam, 1.3 megapixel
Weight	2.5 kg - Actual weight may vary depending on configuration	2.5 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	372 x 245 x 35 mm	372 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 8:30 h (tbd.) / up to 14 h (tbd.)	Up to 8:30 h (tbd.) / up to 14 h (tbd.)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V
Modem optional	Optional: 56 K V.92 modem MDC1.5	Optional: 56 K V.92 modem MDC1.5
Bluetooth optional	Bluetooth 3.0	Bluetooth 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer 2nd battery	DVD Super Multi Blu-ray Disc™ Triple Writer 2nd battery
Special features	Advanced Theft Protection (ATP), Application buttons, Family concept (AC adapter, port replicator, modular bay)	Advanced Theft Protection (ATP), Application buttons, Family concept (AC adapter, port replicator, modular bay)
Standard Warranty Duration**	2 years (depending on country)	1 year (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

Advanced Notebooks
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK S781	LIFEBOOK S751
	The mobile versatile companion	The mobile versatile companion
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit
Chipset	Intel® QM67	Intel® HM65
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/MS/MSPro); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11; optional); 3 x USB 2.0; 1 x USB 3.0 (optional; additional USB 2.0 if not selected); 1 x eSATA & USB combo; 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support	1 x Memory card slots (SD/MS/MSPro); 1 x ExpressCard slots (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11; optional); 3 x USB 2.0; 1 x USB 3.0 (optional; additional USB 2.0 if not selected); 1 x eSATA & USB combo; 1 x VGA; 1 x DisplayPort; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support
Display	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m² 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m²	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m² 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m²
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam	Optional: Built-in webcam, 1.3 megapixel	Optional: Built-in webcam, 1.3 megapixel
Weight	2.3 kg - Actual weight may vary depending on configuration	2.3 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	340 x 245 x 35 mm	340 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 8:30 h (tbd.) / up to 14 h (tbd.)	Up to 8:30 h (tbd.) / up to 14 h (tbd.)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269	Realtek ALC269
Audio features	Stereo speakers	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n	Atheros Minicard b/g/n; Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V
Modem optional	Optional: 56 K V.92 modem MDC1.5	Optional: 56 K V.92 modem MDC1.5
Bluetooth optional	Bluetooth 3.0	Bluetooth 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer 2nd battery	DVD Super Multi Blu-ray Disc™ Triple Writer 2nd battery
Special features	Advanced Theft Protection (ATP), Embedded mobile broadband access (3G/UMTS), Family concept (AC adapter, port replicator, modular bay)	Advanced Theft Protection (ATP), Embedded mobile broadband access (3G/UMTS), Family concept (AC adapter, port replicator, modular bay)
Standard Warranty Duration**	2 years (depending on country)	1 year (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

Advanced Notebooks
LIFEBOOK

	LIFEBOOK P701
	Ultra-mobile performance to go
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit
Chipset	Intel® HM65
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i5-2520M processor (2.5 GHz), 3 MB, 800 MHz Intel® Core™ i3-2310M processor (2.10 GHz), 3 MB, 800 MHz Intel® Celeron® processor B810 (1.6 GHz), 2 MB, 800 MHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/MS/MSPro) 1 x ExpressCard slots (34 mm supported) 1 x SIM card slot (usable only with 3G/UMTS) 1 x eSATA 3 x USB 2.0 total 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 600, 200 cd/m²
Graphics brand name	Intel® HD Graphics
Weight	1.55 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	282 x 220 x 29 – 33 mm
Runtime battery	Up to 8:30 h (tbd.)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas optional	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V
Bluetooth optional	Bluetooth 3.0
Special features	Advanced Theft Protection (ATP), Application buttons, Excellent mobility
Standard Warranty Duration**	1 year (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)

All-round Notebooks
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK NH751	LIFEBOOK AH531
	Multimedia meets design	Your essential partner
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit Genuine Windows® 7 Starter 32-bit
Chipset	Intel® HM65	Intel® HM65
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2630QM processor, 6 MB, 2.0 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1.5 TB (2 x 750 GB), 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1 TB (2 x 500 GB), 2.5-inch, S.M.A.R.T.	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/SDHC/MS/MMC) 1 x ExpressCard slots (34 mm and 54 mm supported) 4 x USB 2.0 (including 1 x eSATA & USB combo; 1 x Anytime USB Charge functionality) 1 x eSATA & USB combo 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Internal microphones (digital) 1 x Audio: line-in 1 x Kensington Lock support	1 x Memory card slots (SD/SDHC/MS/MSPro) 1 x ExpressCard slots (34 and 54 mm supported) 3 x USB 2.0 (1 x Anytime USB Charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support
Display	43.9 cm (17.3-inch), LED backlight, (HD+), Glossy, 1600 x 900 pixel, 220 cd/m² 43.9 cm (17.3-inch), LED backlight, (Full HD), Glossy, 1920 x 1080 pixel, 300 cd/m²	39.6 cm (15.6-inch), TFT, (HD), LED backlight, glossy or anti-glare, 1366 x 768 pixel
Graphics brand name	NVIDIA® GeForce® GT 525M with Optimus Technology	Intel® HD Graphics or HD Graphics 3000 (depending on CPU) NVIDIA® GeForce® GT 525M with Optimus Technology[1)]
Dedicated video memory	1 GB	1 GB[1)]
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	Approx. 3.7 kg - Weight may vary depending on actual configuration (including battery pack)	2.5 kg
Dimensions (W x D x H)	410 x 270 x 20.44 mm (front) / 36.12 mm (back)	378 x 252 x 36.5 mm
Runtime battery	Tbc	Up to 6 h or 5 h for discrete graphic model (tbc)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time varies depending on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269 VA	Realtek ALC269 HD
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)
Embedded 3G/UMTS Optional		Sierra Wireless Gobi 3000 (only for AH531 internal graphics)
Integrated WLAN optional	Intel® Centrino® 6205 802.11 a/b/g/n or Atheros 802.11 b/g/n	Intel® Centrino® Wireless N1030 802.11 a/b/g/n
LAN	10/100/1000 MBit/s	10/100/1000 MBit/s Realtek RTL 8111E
Modular bay options	DVD Super Multi Blu-ray Disc™ Combo Drive Blu-ray Disc™ Triple Writer	DVD Super Multi Blu-ray Disc™ Combo Drive[1)] Blu-ray Disc™ Triple Writer[1)]
Special features	Multimedia feature, NVIDIA® GeForce® discrete graphics with Optimus Technology, Blu-ray Disc™ drive	Glossy display, NVIDIA® GeForce® discrete graphics, Spill-resistant keyboard with full num pad
Standard Warranty Duration**	1 year / 2 years (depending on country)	1 year / 2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

[1)] for discrete graphics model with glossy display only

All-round Notebooks
LIFEBOOK

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

	LIFEBOOK A531	LIFEBOOK LH531
	Your essential partner	Performance in style
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit Genuine Windows® 7 Starter 32-bit	Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic 64-bit Genuine Windows® 7 Professional 64-bit
Chipset	Intel® HM65	Intel® HM65
Processor Type, Second Level cache, Processor frequency	Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz	Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slots (SD/SDHC/MS/MSPro) 1 x ExpressCard slots (34 mm and 54 mm supported) 3 x USB 2.0 (1 x Anytime USB Charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support	1 x Memory card slots (SD/SDHC/MS/MSPro) 4 x USB 2.0 (1 x Anytime USB Charge) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel	35.6 cm (14-inch), LED backlight, (HD), anti-glare, 1366 x 768 pixel, 600:1, 220 cd/m²
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)	Intel® HD Graphics
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	2.5 kg	Approx. 2.2 kg - Actual weight may vary depending on configuration
Dimensions (W x D x H)	378 x 252 x 36.5 mm	335 x 240 x 35.4 mm
Runtime battery	Up to 6 h (tbc)	Tbc
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269 HD	Realtek ALC269 HD
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	
LAN	10/100/1000 MBit/s Realtek RTL 8111E	10/100/1000 MBit/s
Integrated WLAN	Intel® Centrino® Wireless N1030 802.11 a/b/g/n	Atheros Minicard b/g/n
Modular bay	DVD Super Multi	DVD Super Multi Blu-ray Disc™ Combo Drive
Special features	Anti-glare display, Embedded mobile broadband access (3G/UMTS), Spill-resistant keyboard with full num pad	Anti-glare display, Blu-ray Disc™ drive, Spill-resistant keyboard
Standard Warranty Duration**	1 year (depending on country)	1 or 2 years (depending on country)
Service level**	Collect & Return Service / Bring-In Service (depending on country)	Collect & Return Service / Bring-In Service (depending on country)

Mobile Devices
Port Replicators

Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu's docking options. Our port replicators are the perfect docking solutions for LIFEBOOK notebooks and CELSIUS mobile workstations. In the office or at home it takes just a second to attach your notebook to the port replicator and get connected to your external devices.

Port Replicators

	Port Replicator for LIFEBOOK T901	Port Replicator for STYLISTIC Q550	Port Replicator for LIFEBOOK T730	Port Replicator for LIFEBOOK E751 / S751 CELSIUS H710	Port Replicator for CELSIUS H910
Order code Port replicator only	S26391-F655-E300	(tbd)	S26391-F794-L310	S26391-F987-E100	
Power switch	1 x	-	S26391-F794-L410	1 x	1 x
Power pass through	-	-	-		
Power LED	-	-	1 x	1 x	1 x
Power supply for PR and notebook	1 x (19V)	1 x (19V)	-	1 x (19V)	1 x (19V)
0-Watt compatibility	Yes	-	-	-	-
PS/2	-	-	1 x (19V)	-	-
Serial	-	-	-	1 x	1 x
Parallel	-	-	-	1 x	-
USB 2.0	4 x USB 2.0	4 x USB 2.0	-	4 x USB 2.0	4 x USB 2.0
E-SATA	-	-	-	1 x	1 x
VGA	1 x	-	4 x USB 2.0	1 x	1 x
HDMI	-	-	-	-	-
DisplayPort	1 x	-	1 x	1 x	1 x
DVI	1 x	-	1 x	1 x (Dual link)	1 x (Dual link)
LAN	10/100/1000 LAN	-	10/100/1000 LAN	10/100/1000 LAN	10/100/1000 LAN
Audio	Headphone	-	Headphone	Headphone and microphone	Headphone and microphone
FireWire	-	-	-	-	-
Optical disk drive	-	-	-	-	-
1 hand release mechanism	x	-	x	x	-
Kensington lock (PR and notebook)	x	-	-	x	x
Kensington lock (PR only)	x	-	x	x	x
Weight	0.43 kg	0.30 kg	0.45 kg	0.56 kg	0.62 kg
Dimensions (H x W x D)	37 x 338 x 104 mm	118 x 140 x 125 mm (open)	40 x 338 x 104 mm	40 x 385 x 118 mm	34 x 470 x 120 mm
Standard Warranty Duration**	1 year (depending on country)	1 year (depending on country)	1 year (depending on country)	1 year (depending on country)	1 year (depending on country)
Service level**	Bring-In Service (depending on country)	Bring-In Service (depending on country)	Bring-In Service (depending on country)	Bring-In Service (depending on country)	Bring-In Service (depending on country)

Port Replicators

	Port Replicator for LIFEBOOK S761	Port Replicator for LIFEBOOK P771 LIFEBOOK P701	USB Port Replicator with VGA
Order code Port replicator only	S26391-F655-E300	S26391-F977-E100	S26391-F6007-L300
Power switch	1 x	1 x	-
Power pass through	-		-
Power LED	-	-	-
Power supply for PR and notebook	1 x (19V)	1 x (19V)	-
0-Watt compatibility	-	Yes	-
PS/2	-	-	-
Serial	1 x	-	-
Parallel	1 x	-	-
USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0, 1 x USB for port replicator connection
E-SATA	1 x	1 x	-
VGA	1 x	1 x	Via included adapter
HDMI	-	-	-
DisplayPort	-	1 x [1)]	-
DVI	1 x	1 x [1)]	1 x
LAN	10/100/1000 LAN	10/100/1000 LAN	10/100 LAN
Audio	Headphone	-	Headphone and microphone
FireWire	-	-	-
Optical disk drive	-	-	-
1 hand release mechanism	x	x	-
Kensington lock (PR and notebook)	x	-	-
Kensington lock (PR only)	-	x	x
Weight	0.5 kg	0.34 kg	0.2 kg
Dimensions (H x W x D)	38 x 370 x 114 mm	33 x 305 x 120 mm	166 x 110 x 86 mm
Standard Warranty Duration**	1 year (depending on country)	1 year (depending on country)	1 year (depending on country)
Service level**	Bring-In Service (depending on country)	Bring-In Service (depending on country)	Bring-In Service (depending on country)

[1)] Please note either display port or DVI work. In case where both are connected, display port has higher priority.

* Windows® XP Downgrade

Use of Microsoft® Windows® XP
End of October 2010 Microsoft stopped the shipment of OEM Downgrade Media for Microsoft® Windows® XP **together** with a system.

1. Customers can still get the **Downgrade Medium for Microsoft® Windows® XP for Fujitsu client systems** pre-installed with one of the following operating systems:
   - Windows® 7 Professional
   - Windows® 7 Ultimate
   - Windows Vista® Business

   End users are allowed to order a Downgrade Medium for Microsoft® Windows® XP at extra costs until end of July 2011 if they have purchased a Fujitsu client system together with one of the OEM products listed above.
   For more information about ordering a Downgrade Medium for Microsoft® Windows® XP via Fujitsu Support please see:
   ts.fujitsu.com/support/xpdowngrade.html

2. **Use of Microsoft® Windows® XP Mode in combination with Windows® 7**
   Windows® 7 offers the possibility to run applications in Microsoft® Windows® XP Mode. This software can be downloaded from the Microsoft webpage free of charge:
   microsoft.com/windows/virtual-pc/download.aspx
   Following Microsoft products offer the possibility to run the Microsoft® Windows® XP Mode:
   - Windows® 7 Professional
   - Windows® 7 Enterprise
   - Windows® 7 Ultimate

3. **Pre-installation of Microsoft® Windows® XP via Fujitsu project support (Customizing Service)**
   Fujitsu offers a special support to ship systems with Microsoft® Windows® XP pre-installed at extra costs for customers with at least 25 ordered systems annually.
   To get further information please visit:
   ts.fujitsu.com/products/made4you/
   Recovery Media for Microsoft® Windows® XP are not shipped.
   If in addition a Downgrade Medium for Microsoft® Windows® XP is needed it has to be ordered separately via Fujitsu Support (see **1.**).

Order No.:
- Fujitsu Technology Solutions: A26361-K1007-Z172-1-7419, edition 1
- Fujitsu Ltd.: B5FH-D804-01DE-00

** Services

For today's business leaders and IT executives the question is not only what needs to be done, but how to do it quickly and effectively while still optimizing overall IT spending.

This is where Fujitsu can really help. We can provide you with a complete range of infrastructure services that allow you to deliver on this promise while reducing overall costs, improving ROI and still delivering outstanding service quality for your users.

Warranty comes standard with our products; it starts from the time of sale and is valid for a defined period of time. Minimum standard warranty is 12 months. The period and service level vary depending on product type and local regulations. Our ServicePack/Contract Hardware as part of Fujitsu's Maintenance and Support Services offering is the perfect extension on top of the standard warranty with various options of duration and of response or recovery time to fit customer needs and a flexible payment concept either up-front or on a regular basis.

For more information regarding Managed Services, Integration Services, Maintenance and Support Services or Financial Services please visit
ts.fujitsu.com/services

Expertise you can count on, wherever and whenever you need it.

The warranty can be claimed to the extent that the service concerned is available in the respective country. Please note that availability of all services cannot be guaranteed in all countries. The warranty agreed at the time of purchase may differ from the standard warranty stated here. In addition, as the customer you may have a right to legal claims not restricted by these warranty conditions.

Published by
Fujitsu Technology Solutions

Mies-van-der-Rohe-Strasse 8,
80807 Munich, Germany
Copyright: © Fujitsu Technology Solutions 02/2011
Printed in Germany
Realization: www.chromedia.de (CM13980)
Order-No.: 10808-2-0211-EN 10
Contact: ts.fujitsu.com/contact

The latest technical data can be found on the Fujitsu Technology Solutions websites and in the corresponding data sheets. All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. Product pictures may vary from the original product.

ts.fujitsu.com